
ACCU-SVENSKA AB


Minimum Quantity Lubrication Systems



ECOLUBRIC[®] *Booster*

Minimum Quantity Lubrication Systems

Intelligent lubrication



ECOLUBRIC[®] *Booster* supplies the selected tool with extremely small oil droplets (2 μm), these drops are transported to the cuts in the existing cooling channels of the processing machine.

Advantages with the Boostersystem

- Automatic control of compressed air and oil flow
- No need for the operator to make adjustments
- The system is activated by signal from the machine (M-funktion)



Technical information

Power	- 24 V DC
Consumption	- Max. 70 W
Display	- Yes
Connection	- M12.contact 8 pin male for power supply and control signals
USB-interface	- Yes
Programs	- 6
Compressed air	- 6 bar

Areas of use

- Drilling
- Milling
- Threading
- Turning
- Cutting

The device needs compressed air 6 bar and connection to 24V DC.



Sustainability

Why is ECOLUBRIC® economic and ecological?

ECOLUBRIC® *Booster* equipment is used with **ECOLUBRIC® lubricant**. This means that minimal amounts of vegetable lubricant replace conventional cooling emulsions.

This gives you the following advantages:

- Saves on cleaning costs
- Saves on recycling cost because no residual products occur
- Saves costs due to very low lubricant consumption
- Increases tool lifetime
- The production process is almost completely dry
- No hazardous oil mist occurs
- The lubricants are made from pure raw materials

ECOLUBRIC® *Booster* + ECOLUBRIC® Lubricant = clean production

Lubricants

The first choice for lubricants is **ECOLUBRIC®** E 200 L.
It consists of pure, vegetable and renewable raw materials that are biodegradable.

ECOLUBRIC® lubricants offer an economical and environmentally friendly alternative for lubrication and friction reduction in machinery. It is adapted for use in dosage equipment from Accu Svenska AB.

Our Lubricants are extracted from plants without chemical modification,
And are therefore biodegradable.

Our lubricants are supplied in containers of 5, 200 and 1000 liters.



The logo for NECOLUBRIC features a green square icon on the left containing a white stylized drop shape with a grid pattern inside. To the right of the icon, the word "NECOLUBRIC" is written in a bold, green, sans-serif font.

NECOLUBRIC

Lubrication that makes a difference



ACCU-SVENSKA AB

Minimum Quantity Lubrication Systems

ACCU-SVENSKA AB
Minimum Quantity Lubrication System

Contact us and ask for our expertise.
www.accu-svenska.se

Accu Svenska AB
Saltängsvägen 18
SE 721 32 Västerås
Telefon +46 (0) 21 33 07 41
Kontakta-oss@accu-svenska.se